

Declaration of performance

No.2092/01-DoP Jan 2024

| 1. Product type: | | |
|--|-------------|-------------------------------------|
| Portland Cement EN 197-1:2011 | | |
| 2. Product-identification: | | |
| AALBORG WHITE Cement – Portland Cement CEM I 52.5 N | | |
| 3. The intended use(s) of the construction product: | | |
| Used in the preparation of concrete and mortar, etc... | | |
| 4. Name and address of the manufacturer: | | |
| Sinai White Portland Cement Company S.A.E, 604 A El Safa St. New Maadi-Cairo[Egypt | | |
| 5. Name and address of the authorized representative: | | |
| Not Relevant | | |
| 6. Notified body: | | |
| KIWA certification body No.0770 has performed classification of product types based on testing, sampling and initial inspection of the factory production control, ongoing monitoring, compliance's and evaluation of the factory's production control and issued the certificate of conformity / declaration of performance (0770-CPR-2092-01-18). | | |
| 7. Declared Performance | | |
| The cement complies with all requirements according to EN 197-1:2011, for Portland cement, CEM I 52.5 N. | | |
| Essential characteristic | Performance | Harmonized technical specifications |
| 2 days compressive strength | ≥ 20.0 MPa | EN 197-1:2011 |
| 28 days compressive strength | ≥ 52.5 MPa | |
| Initial setting time | ≥ 45 min | |
| Loss on ignition | ≤ 5.0 % | |
| Insoluble residue | ≤ 5.0 % | |
| Soundness / Expansion | ≤ 10.0 mm | |
| SO ₃ content | ≤ 4.0 % | |
| Cl content | ≤ 0.10 % | |

8. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 7. This declaration of performance is issued the sole responsibility of the manufacturer identified in point 4. Sinai, 1st of Jan 2024/

Signed for and on behalf of manufacturer by

Quality Manager

Ahmed Elsayed